


FIG.1



(A) OLD SOFTWARE

BLOCK 1
BLOCK 2
BLOCK 3
BLOCK 4
BLOCK 5
BLOCK 6
BLOCK 7
BLOCK 8
BLOCK 9
BLOCK 10

(B) REWRITE TABLE

BLOCK NUMBER	EXECUTION STATE	REWRITING STATE
BLOCK 1	IN EXECUTION	UNFINISHED
BLOCK 2	IN EXECUTION	UNFINISHED
BLOCK 3	IN EXECUTION	UNFINISHED
BLOCK 8	IN STOP	UNFINISHED → FINISHED
BLOCK 9	IN STOP	UNFINISHED → FINISHED
BLOCK 10	IN STOP	UNFINISHED → FINISHED

(1)



BLOCK NUMBER	EXECUTION STATE	REWRITING STATE
BLOCK 1	IN STOP	UNFINISHED → FINISHED
BLOCK 2	IN STOP	UNFINISHED → FINISHED
BLOCK 3	IN STOP	UNFINISHED → FINISHED
BLOCK 8	IN EXECUTION	FINISHED
BLOCK 9	IN EXECUTION	FINISHED
BLOCK 10	IN EXECUTION	FINISHED

(2)

(C) BLOCK IN EXECUTION

BLOCK 1
BLOCK 2
BLOCK 3

(1)



BLOCK 8
BLOCK 9
BLOCK 10

(2)